

Spannzangen UP EX40

Collet UP EX 40



Durchmesser <i>Diameter</i>	Spannbereich [mm] <i>Clamping range [mm]</i>	Art.-Nr. <i>Art.-No.</i>	Anfrage (Anzahl) Request (<i>Quantity</i>)
1/4"	ohne / <i>without</i>	360-055-4063	
3/8"	ohne / <i>without</i>	360-055-4095	
1/2"	ohne / <i>without</i>	360-055-4127	
3/4"	ohne / <i>without</i>	360-055-4190	
3.0 mm	ohne / <i>without</i>	360-050-4030	
4.0 mm	ohne / <i>without</i>	360-050-4040	
6.0 mm	ohne / <i>without</i>	360-050-4060	
10.0 mm	ohne / <i>without</i>	360-050-4100	
12.0 mm	ohne / <i>without</i>	104568	
13.0 mm	ohne / <i>without</i>	360-050-4130	
16.0 mm	ohne / <i>without</i>	360-050-4160	
17.0 mm	ohne / <i>without</i>	360-050-4170	
18.0 mm	ohne / <i>without</i>	360-050-4180	
20.0 mm	ohne / <i>without</i>	360-050-4200	
22.0 mm	ohne / <i>without</i>	360-050-4220	
24.0 mm	ohne / <i>without</i>	360-050-4240	
26.0 mm	ohne / <i>without</i>	360-050-4260	

Spannzangen UP EX12

Collet UP EX 12



Spannzangen UP EX12

Durchmesser <i>Diameter</i>	Spannbereich [mm] <i>Clamping range [mm]</i>	Art.-Nr. <i>Art.-No.</i>	Anfrage (Anzahl) <i>Request (Quantity)</i>
1/8"	ohne / without	360-055-1232	
3/16"	ohne / without	360-055-1247	
1/4"	ohne / without	360-055-1263	
1.0 mm	ohne / without	360-050-1210	
1.5 mm	ohne / without	360-050-1215	
2.0 mm	ohne / without	360-050-1220	
2.5 mm	ohne / without	360-050-1225	
3.0 mm	ohne / without	360-050-1230	
3.5 mm	ohne / without	360-050-1235	
4.0 mm	ohne / without	360-050-1240	
4.5 mm	ohne / without	360-050-1245	
5.0 mm	ohne / without	360-050-1250	
5.5 mm	ohne / without	360-050-1255	
6.0 mm	ohne / without	360-050-1260	
6.5 mm	ohne / without	360-050-1265	
7.0 mm	ohne / without	360-050-1270	

Spannzangen UP EX16

Durchmesser <i>Diameter</i>	Spannbereich [mm] <i>Clamping range [mm]</i>	Art.-Nr. <i>Art.-No.</i>	Anfrage (Anzahl) <i>Request (Quantity)</i>
1/8"	ohne / without	360-055-1632	
1/4"	ohne / without	360-055-1663	
3/8"	ohne / without	360-055-1695	
1.0 mm	ohne / without	360-050-1610	
1.5 mm	ohne / without	360-050-1615	
2.0 mm	ohne / without	360-050-1620	
2.5 mm	ohne / without	360-050-1625	
3.0 mm	ohne / without	360-050-1630	
3.5 mm	ohne / without	360-050-1635	
4.0 mm	ohne / without	360-050-1640	
5.0 mm	ohne / without	360-050-1650	
6.0 mm	ohne / without	360-050-1660	
7.0 mm	ohne / without	360-050-1670	
8.0 mm	ohne / without	360-050-1680	
9.0 mm	ohne / without	360-050-1690	
10.0 mm	ohne / without	360-050-1700	

Spannzangen UP EX20

Durchmesser <i>Diameter</i>	Spannbereich [mm] <i>Clamping range [mm]</i>	Art.-Nr. <i>Art.-No.</i>	Anfrage (Anzahl) <i>Request (Quantity)</i>
1/8"	ohne / without	360-055-2032	
3/16"	ohne / without	360-055-2047	
1/4"	ohne / without	360-055-2063	
5/16"	ohne / without	360-055-2079	
3/8"	ohne / without	360-055-2095	
1/2"	ohne / without	360-055-2127	
1.0 mm	ohne / without	360-050-2010	
2.0 mm	ohne / without	360-050-2020	
3.0 mm	ohne / without	360-050-2030	
3.5 mm	ohne / without	102227	
4.0 mm	ohne / without	360-050-2040	
4.5 mm	ohne / without	102228	
5.0 mm	ohne / without	360-050-2050	
5.5 mm	ohne / without	360-050-2055	
6.0 mm	ohne / without	360-050-2060	
6.5 mm	ohne / without	360-050-2062	
7.0 mm	ohne / without	360-050-2066	

7.0 mm	ohne / <i>without</i>	360-050-2070	
8.0 mm	ohne / <i>without</i>	360-050-2080	
9.0 mm	ohne / <i>without</i>	360-050-2090	
9.5 mm	ohne / <i>without</i>	360-050-2095	
10.0 mm	ohne / <i>without</i>	360-050-2100	
11.0 mm	ohne / <i>without</i>	360-050-2110	
12.0 mm	ohne / <i>without</i>	360-050-2120	
13.0 mm	ohne / <i>without</i>	360-050-2130	

Spannzangen UP EX16

Collet UP EX 16



Durchmesser <i>Diameter</i>	Spannbereich [mm] <i>Clamping range [mm]</i>	Art.-Nr. <i>Art.-No.</i>	Anfrage (Anzahl) Request (<i>Quantity</i>)
1/8"	ohne / <i>without</i>	360-055-1632	
1/4"	ohne / <i>without</i>	360-055-1663	
3/8"	ohne / <i>without</i>	360-055-1695	
1.0 mm	ohne / <i>without</i>	360-050-1610	
1.5 mm	ohne / <i>without</i>	360-050-1615	
2.0 mm	ohne / <i>without</i>	360-050-1620	
2.5 mm	ohne / <i>without</i>	360-050-1625	
3.0 mm	ohne / <i>without</i>	360-050-1630	
3.5 mm	ohne / <i>without</i>	360-050-1635	
4.0 mm	ohne / <i>without</i>	360-050-1640	
5.0 mm	ohne / <i>without</i>	360-050-1650	
6.0 mm	ohne / <i>without</i>	360-050-1660	
7.0 mm	ohne / <i>without</i>	360-050-1670	
8.0 mm	ohne / <i>without</i>	360-050-1680	
9.0 mm	ohne / <i>without</i>	360-050-1690	
10.0 mm	ohne / <i>without</i>	360-050-1700	

Spannzangen UP EX20

Collet UP EX 20



Durchmesser <i>Diameter</i>	Spannbereich [mm] <i>Clamping range [mm]</i>	Art.-Nr. <i>Art.-No.</i>	Anfrage (Anzahl) <i>Request (Quantity)</i>
1/8"	ohne / <i>without</i>	360-055-2032	
3/16"	ohne / <i>without</i>	360-055-2047	
1/4"	ohne / <i>without</i>	360-055-2063	
5/16"	ohne / <i>without</i>	360-055-2079	
3/8"	ohne / <i>without</i>	360-055-2095	
1/2"	ohne / <i>without</i>	360-055-2127	
1.0 mm	ohne / <i>without</i>	360-050-2010	
2.0 mm	ohne / <i>without</i>	360-050-2020	
3.0 mm	ohne / <i>without</i>	360-050-2030	
3.5 mm	ohne / <i>without</i>	102227	
4.0 mm	ohne / <i>without</i>	360-050-2040	
4.5 mm	ohne / <i>without</i>	102228	
5.0 mm	ohne / <i>without</i>	360-050-2050	
5.5 mm	ohne / <i>without</i>	360-050-2055	
6.0 mm	ohne / <i>without</i>	360-050-2060	
6.5 mm	ohne / <i>without</i>	360-050-2065	
7.0 mm	ohne / <i>without</i>	360-050-2070	
8.0 mm	ohne / <i>without</i>	360-050-2080	
9.0 mm	ohne / <i>without</i>	360-050-2090	
9.5 mm	ohne / <i>without</i>	360-050-2095	
10.0 mm	ohne / <i>without</i>	360-050-2100	
11.0 mm	ohne / <i>without</i>	360-050-2110	
12.0 mm	ohne / <i>without</i>	360-050-2120	
13.0 mm	ohne / <i>without</i>	360-050-2130	

Spannzangen UP EX25

Collet UP EX 25



Durchmesser <i>Diameter</i>	Spannbereich [mm] <i>Clamping range [mm]</i>	Art.-Nr. <i>Art.-No.</i>	Anfrage (Anzahl) <i>Request (Quantity)</i>
1/8"	ohne / <i>without</i>	360-055-2532	
1/4"	ohne / <i>without</i>	360-055-2563	
3/8"	ohne / <i>without</i>	360-055-2595	
1/2"	ohne / <i>without</i>	360-055-2627	
5/8"	ohne / <i>without</i>	360-055-2659	
2.0 mm	ohne / <i>without</i>	360-050-2520	
3.0 mm	ohne / <i>without</i>	360-050-2530	
4.0 mm	ohne / <i>without</i>	360-050-2540	
5.0 mm	ohne / <i>without</i>	360-050-2550	
6.0 mm	ohne / <i>without</i>	360-050-2560	
7.0 mm	ohne / <i>without</i>	360-050-2570	
8.0 mm	ohne / <i>without</i>	360-050-2580	
9.0 mm	ohne / <i>without</i>	360-050-2590	
10.0 mm	ohne / <i>without</i>	360-050-2600	
11.0 mm	ohne / <i>without</i>	360-050-2610	
12.0 mm	ohne / <i>without</i>	360-050-2620	
13.0 mm	ohne / <i>without</i>	360-050-2630	
14.0 mm	ohne / <i>without</i>	360-050-2640	
15.0 mm	ohne / <i>without</i>	360-050-2650	
16.0 mm	ohne / <i>without</i>	360-050-2660	

Spannzangen UP EX32

Collet UP EX 32



Durchmesser <i>Diameter</i>	Spannbereich [mm] <i>Clamping range [mm]</i>	Art.-Nr. <i>Art.-No.</i>	Anfrage (Anzahl) <i>Request (Quantity)</i>
1/8"	ohne / <i>without</i>	360-055-3232	
1/4"	ohne / <i>without</i>	360-055-3263	
3/8"	ohne / <i>without</i>	360-055-3295	
1/2"	ohne / <i>without</i>	360-055-3327	
5/8"	ohne / <i>without</i>	360-055-3359	
3/4"	ohne / <i>without</i>	360-055-3390	
3.0 mm	ohne / <i>without</i>	360-050-3230	
4.0 mm	ohne / <i>without</i>	360-050-3240	
5.0 mm	ohne / <i>without</i>	360-050-3250	
6.0 mm	ohne / <i>without</i>	360-050-3260	
8.0 mm	ohne / <i>without</i>	360-050-3280	
10.0 mm	ohne / <i>without</i>	100510	
12.0 mm	ohne / <i>without</i>	360-050-3320	
13.0 mm	ohne / <i>without</i>	360-050-3330	
14.0 mm	ohne / <i>without</i>	360-050-3340	
16.0 mm	ohne / <i>without</i>	360-050-3360	
18.0 mm	ohne / <i>without</i>	360-050-3380	
20.0 mm	ohne / <i>without</i>	360-050-3400	